Plant and Soil **172**: 345–347, 1995.

Contents Volume 172 (1995)

Research articles

An experimental procedure for obtaining input parameters for the "ROOTMAP" root simulation program for peas (*Pisum sativum* L.) 1–16
T. Tsegaye, C.E. Mullins and A.J. Diggle

Soil water dynamics in an oak stand. I. Soil moisture, water potentials and water uptake by roots 17–27
N. Bréda, A. Granier, F. Barataud and C. Moyne

Soil water dynamics in an oak stand. II. A model of the soil-root network compared with experimental data 29–43
F. Barataud, C. Moyne, N. Bréda and A. Granier

Physical properties of two-component growth media based on *Sphagnum* peat and their implications for plant-available water and aeration 45–54
J. Heiskanen

Early season root production and zoospore infection of cultivars of flue-cured tobacco that differ in level of partial resistance to *Phytophthora parasitica* var. *nicotianae* 55–61
K.J. Jones and H.D. Shew

A comparison of four methods for measuring roots of field crops in three contrasting soils 63–71
M. Kücke, H. Schmid and A. Spiess

Effect of nitrogen on drought strain and nutrient uptake in Norway spruce (*Picea abies* (L.) Karst.) trees 73–85
P. Nilsen

Effects of calcium deficiency on *Coffea arabica*. Nutrient changes and correlation of calcium levels with some photosynthetic parameters 87–96
J.C. Ramalho, M.C. Rebelo, M.E. Santos, M.L. Antunes and M.A. Nunes

Collection and composition of xylem sap and root structure in two halophytic species 97–106
W.D. Jeschke, S. Klagges and A. Saeed Bhatti

Nitrogen transformations in limed and nitrogen fertilized soil in Norway spruce stands 107–115
A. Smolander, V. Kitunen, O. Priha and E. Mälkönen

Barley genotypes differ in activity of soluble extracellular phosphatase and depletion of organic phosphorus in the rhizosphere soil 117–122
F. Asmar, T. Singh, Gahoonia and N.E. Nielsen

The role of mungbean residues and *Sesbania aculeata* green manure in the nitrogen economy of rice-wheat cropping system 123–129
S.N. Sharma, R. Prasad and S. Singh

Effects of defoliation on seed protein concentration in normal and high protein lines of soybean 131–139
J.W. Burton, D.W. Israel, R.F. Wilson and T.E. Carter

Water balance of conifer logs in early stages of decomposition 141–152
M.E. Harmon and J. Sexton

Mineralization of nitrogen in long-term pasture soils: effects of management 153–162
K. Gill, S.C. Jarvis and D.J. Hatch

Short communication

Improved correlation between soil exchangeable K and plant K contents on a tissue water basis 163–165
G. Springob, M. Lebert and H. Graf von Reichenbach

Research articles

Comparison of plant uptake and plant toxicity of various ions in wheat 167–173
D.M. Wheeler, I.L. Power

Nitrogen fixation in *Faidherbia albida, Acacia raddiana, Acacia senegal* and Acacia seyal estimated using the ^{15}N isotope dilution technique 175–180
I. Ndoye, M. Gueye, S.K.A. Danso, B. Dreyfus

Roots growing in rock fissures: Their morphological adaptation 181–187
M.A. Zwieniecki, M. Newton

Selection of *Rhizobium leguminosarum* bv. *viceae* strains for inoculation of *Pisum sativum* L. cultivars: Analysis of symbiotic efficiency and nodulation competitiveness 189–198
A.N. Fesenko, N.A. Provorov, I.F. Orlova, V.P. Orlov, B.V. Simarov

Seasonal variations of leaf water potential and growth in fertigated carob-trees (*Ceratonia siliqua* L.) 199–206
P.J. Correia, M.A. Martins-Loução

Formation of nodular structures on the non-legumes *Brassica napus, B. campestris, B. juncea* and *Arabidopsis thaliana* with *Bradyrhizobium* and *Rhizobium* isolated from *Parasponia* spp. or legumes grown in tropical soils 207–219
M.J. Trinick, P.A. Hadobas

Uptake of ^{32}P from labelled organic matter by mycorrhizal and non-mycorrhizal subterranean clover (*Trifolium subterraneum* L.) 221–227
E.J. Joner, I. Jakobsen

Separate mechanisms of aluminium toxicity for nitrate uptake and root elongation 229–234
R.P. Durieux, R.J. Bartlett, F.R. Magdoff

Growth and nutrient characteristics in bog and fen populations of Scots pine (*Pinus sylvestris*) 235–245
M. Ohlson

A critical assessment of the value of petiole sap analysis in optimizing the nitrogen nutrition of the potato crop 247–260
D.K.L. MacKerron, M.W. Young, H.V. Davies

Enhanced suppression of plant growth through production of L-tryptophan-derived compounds by deleterious rhizobacteria 261–269
M. Sarwar, R.J. Kremer

Identification of *Acetobacter diazotrophicus, Herbaspirillum seropedicae* and *Herbaspirillum rubrisubalbicans* using biochemical and genetic criteria 271–277
A. Ureta, B. Alvarez, A. Ramón, M.A. Vera, G. Martínez-Drets

Influence of mechanical impedance on root exudation of maize seedlings at two development stages 279–287
V. Boeuf-Tremblay, S. Plantureux, A. Guckert

Influence of host genotypes on growth, symbiotic performance and nitrogen assimilation in faba bean (*Vicia faba* L.) under salt stress 289–297
M. del Pilar Cordovilla, F. Ligero, C. Lluch

Phytosiderophore release in relation to micronutrient metal deficiencies in barley 299–308
D. Gries, S. Brunn, D.E. Crowley, D.R. Parker

Salinity, water use and yield of maize: Testing of the mathematical model *ecosys* 309–322
R.F. Grant

Short communications

Uptake of ^{24}Mg by excised pine roots: A preliminary study 323–326
P. Högberg, P. Jensén, T. Näsholm, H. Ohlsson

Arbuscular mycorrhizal fungi induced alteration to root longevity of poplar 327–329
J.E. Hooker, K.E. Black, R.L. Perry, D. Atkinson

Growth of *Albugo candida* (race unidentified) on *Brassica juncea* callus cultures 331–337
B.K. Goyal, U. Kant, P.R. Verma

Acknowledgement 339–343

Contents Volume 172 (1995) 345–347

Author index 348

Instructions to authors (1995) 349–351